RECEPTAL[®] Suction Canister and Liner System

EZE-VAC[®] Suction Canister System

AMSure® Suction Tubing & Suction Yankauers



Surgicare Waste Fluid Management Systems

Amsino Waste Fluid Management Solutions



RECEPTAL® Suction Canister and Liner System

The **RECEPTAL**[®] Suction Canister and Liner System is one of the most cost effective models in waste fluid collection. This system combines the benefits of both a reusable canister and a disposable liner with permanently attached lid and tubing, simplifying set up time, reducing costs and providing additional protection.

RECEPTAL[®] Liners and **EZE-VAC**[®] Canisters include an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity. These efficient systems securely isolate suction waste with single, dual and multiple configurations that provide fluid capacity up to 24L without disconnection.

Both systems support best practice by integrating **VAC-GARD**,[®] a non-mechanical shut-off valve that prevents back flow of aerosols and fluids into the vacuum system, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.



EZE-VAC[®] Suction Canister System

The **EZE-VAC**[®] Suction Canister System is single-use, designed for convenience by removing the need for a secondary waste liner. The canister and lid provide a vacuum tight seal at room temperature, improving suction performance and reducing risk during disposal. The lid ports are clearly marked and come with pre-attached elbows to simplify set up.



Table of Contents

RECEPTAL® Canisters	1
RECEPTAL [®] Liners	2
EZE-VAC [®] Canisters	3
ACCU-MEASURE® Critical Measurement Devices	4
RECEPTAL® and EZE-VAC® Accessories	5,6
AMSure® Suction Yankauer	7
AMSure® Suction Tubing	8
RECEPTAL® and EZE-VAC® Reusable Hardware	9, 10
Regulator Mounts	11, 12
Set Up Procedures	13-18
Disconnect and Disposal	19
Index	20

Amsino is a leading global provider of waste fluid management systems. For nearly a decade, Amsino has been manufacturing a wide range of suction products to the highest quality standards and has developed some of the most advanced waste fluid management systems in the world. In 2014, Amsino acquired global product rights for the **RECEPTAL**[®] Suction Product Line, to further enhance our offerings in waste fluid management.

RECEPTAL® Waste Fluid Management Systems help Hospitals manage Suction Waste by providing, Simple, Safe and Complete Solutions.

- Complete Suction System
- Highest Quality and Reliability
- Superior Bacterial Filtration Efficiency
- Easy to Use
- Cost Saving
- Professional Advice, Guidance and Training on Waste Fluid Management



RECEPTAL[®] Canisters are made of polycarbonate material designed with durability and efficiency in mind.

The Canister must be used with the same volume size **RECEPTAL**[®] Disposable Liner.



The canister ring seal firmly secures the liner lid to the canister, maximizing vacuum power to provide the best clinical outcomes.



Large, easy to read volume marks in 25 mL increments help with patient documentation.



Canister "T" designates vacuum source connection to simplify canister set up.



1000 mL Canister

(Use with 100	0 mL Disposable Liner only)	
ltem	Description	Qty/Unit
43449-05	1000 mL RECEPTAL [®] Canister	10/Case
1500 mL	Canister	
(Use with 150	0 mL Disposable Liner only)	
ltem	Description	Qty/Unit
43423-01	1500 mL RECEPTAL [®] Canister	10/Case
2000 mL	Canister	
(Use with 200	0 mL Disposable Liner only)	
ltem	Description	Qty/Unit
43445-01	2000 mL RECEPTAL [®] Canister	10/Case
3000 mL	Canister	
(Use with 300	0 mL Disposable Liner only)	
ltem	Description	Qty/Unit

43503-01 3000 mL RECEPTAL® Canister

8/Case


RECEPTAL® Liners



RECEPTAL® Liners are designed with permanently attached lids and a multifunctional lid tube which helps decrease the risk of fluid exposure and improves ease-of-use. The liners include an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity.

These disposable liners support best practice by integrating VAC-GARD®, a non-mechanical shut-off valve that prevents back flow of aerosols and fluids into the vacuum system, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.

- 100% leak tested seamless liners minimize risk of contamination
- Integrated rotating lid tube promotes ease of set-up and cost efficiency
- Multiple liner options to meet your clinical and safety needs



1000 mL Liner

ltem	Description	Qty/Unit
43010-05	1000 mL RECEPTAL [®] Liner with VAC-GARD [®] and Pour Spout	50/Case

1500 mL Liners

ltem	Description	Qty/Unit
43025-01	1500 mL RECEPTAL® Liner with Pour Spout	50/Case
43044-01	1500 mL RECEPTAL® Liner with VAC-GARD® and Pour Spout	50/Case

2000 mL Liners

ltem	Description	Qty/Unit
43027-01	2000 mL RECEPTAL® Liner with Pour Spout	50/Case
43041-01	2000 mL RECEPTAL® Liner with 3/8 in. (0.95 cm) Orthopedic Port	50/Case
43042-01	2000 mL RECEPTAL® Liner with VAC-GARD®	50/Case
43044-05	2000 mL RECEPTAL [®] Liner with VAC-GARD [®] and Pour Spout	50/Case

3000 mL Liners


ltem	Description	Qty/Unit
0L655-01	3000 mL RECEPTAL® Liner with VAC-GARD® and 3/8 in. (0.95 cm) Orthopedic Port	50/Case
0L656-01	3000 mL RECEPTAL® Liner with 3/8 in. (0.95 cm) Orthopedic Port	50/Case

EZE-VAC[®] Canisters

The **EZE-VAC**[®] Suction Canister System is single-use, designed for convenience by removing the need for a secondary waste liner. The canisters include an anti-foaming emulsion that prevents froth formation and aerosolization, reducing the risk of contaminant exposure while maximizing fluid capacity.

EZE-VAC[®] Canisters support best practice by integrating **VAC-GARD**[®], a non-mechanical shut-off valve that prevents back flow of aerosols and fluids into the vacuum system, and includes a 0.3 micron bacterial eliminating filter effective in removing 99.9% of pseudomonas.

- Lid attaches firmly to the canister, maximizing vacuum power and reduces risk of leakage
- Easy-to-read volume marks help with patient documentation
- Reflux protector on patient port
 reduces contamination exposure risk






700 mL Canister

ltem	Description	Qty/Unit
43207-01	700 mL EZE-VAC® ACCU-MEASURE® Critical Measurement Device and Lid with 2 Elbows	32/Case
1200 mL	Canister	
Item	Description	Qty/Unit
43203-01	1200 mL EZE-VAC® Canister and Lid with 2 Elbows	32/Case
2000 mL	Canister	
Item	Description	Qty/Unit
43206-01	2000 mL EZE-VAC® Canister and Lid with 2 Elbows	24/Case
3300 mL	Canister	
Item	Description	Qty/Unit

ACCU-MEASURE® Critical Measurement Devices

ACCU-MEASURE[®] critical measurement devices enable the user to make contactfree critical measurements of smaller quantities of aspirate (i.e. during pediatric procedures).

The **RECEPTAL® ACCU-MEASURE®** is a disposable, tapered 250 mL critical measurement device calibrated to scale. Graduations in 5 mL increments from 0 to 50 mL, 10 mL increments from 50 mL to 150 mL and 20 mL increments from 150 mL to 250 mL.







5 mL increments from 0 to 100 mL

5 mL increments from 0 to 50 mL

RECEPTAL® ACCU-MEASURE® complete set-up

Qty/Unit

Generous patient label for documentation

The **EZE-VAC® ACCU-MEASURE®** is a

stand alone, disposable 700 mL critical measurement device. Graduations are shown in 5 mL increments from 0 to 100 mL,10 mL increments from 100 mL to 300 mL and 25 mL increments from 300 mL to 700 mL.

RECEPTAL® ACCU-MEASURE® Device Item Description

43306-01	250 mL ACCU-MEASURE® Critical Measureme Device with Tandem Tube (attaches to side of the RECEPTAL® Canister, use Item 43305-10	
43305-10	Canister Attachment Bracket for RECEPTAL® ACCU-MEASURE® Device for use with 1000 m 1500 mL and 2000 mL Canisters	10/Case
EZE-VA	C [®] ACCU-MEASURE [®] Device	
Item	Description	Qty/Unit

43207-01	700 mL ACCU-MEASURE® Critical	32/Case
	Measurement Device and Lid with 2 Elbows	









Specimen Trap

(Use with Collection Port when tissue specimen is required)		
ltem	Description	Qty/Unit
43303-01	Specimen Trap 4 in. (10.16cm) Pour Spout Cover with 3/8 in. (0.95 cm) Collection Port, Tethered Cap	24/Case
43303-02	Specimen Trap 4 in. (10.16cm) Pour Spout Cover with 3/8 in. (0.95 cm) Collection Port, Tethered Cap and Stiffener	24/Case
43303-05	Specimen Trap 8 in. (20.32 cm) Pour Spout Cover with 1/2 in. (1.27 cm) Collection Port, Tethered Cap and Stiffener	24/Case

External VAC-GARD® Shut-Off Filter

ltem	Description	Qty/Unit
43309-01	External VAC-GARD® 0.3 micron Bacteria	10/Case
	Eliminating Polymeric Shut-Off Filter	

Tubing

Suction Tubing

(For Canister to vacuum connection)

Item	Description	Qty/Unit
43455-01	100 ft. (30.48 m) PVC Non-Sterile Suction Tubing 9/32 in. (7 mm) I.D.	1/Case
43457-25	24 in. PVC Non-Sterile Suction Tubing 9/32 in. (7 mm) I.D.	25/Case
43311-01	6 ft. (1.83 m) Non-Sterile Suction Tubing 9/32 in. (7 mm) I.D. with Blue Connectors	50/Case

EZE-VAC[®] 18 in. Tandem Tubing

ltem	Description	Qty/Unit
43317-25	EZE-VAC® 18 in. (45.72 cm) Tandem Tubing	25/Case

RECEPTAL® & EZE-VAC® Accessories





RECEPTAL® Elbow Adapter

(Use with Patient Port)			
ltem	Description	Qty/Unit	
43316-01	RECEPTAL® Male 1/4 in. (0.64 cm) x Female 1/4 in. (0.63 cm) Elbow	100/Case	
43494-25	RECEPTAL® Male 1/4 in. (0.64 cm) x Female 1/4 in. (0.63 cm) Elbow	25/Case	

RECEPTAL® Taper

(Use with 3/8	in. (.95 cm) Orthopedic Port)	
ltem	Description	Qty/Unit
43473-25	RECEPTAL® Double 1/4 in. (0.64 cm) Male Taper	25/Case







RECEPTAL® ACCU-MEASURE® Device Bracket

(For use with	Item 43306-01)	
ltem	Description	Qty/Unit
43305-10	Canister Attachment Bracket for RECEPTAL® ACCU-MEASURE® Device for use with 1000 mL 1500 mL and 2000 mL Canisters	10/Case ,

RECEPTAL® Canister Vacuum "T"

(Attach to Canister for vacuum suction)			
ltem	Description	Qty/Unit	
44300-05	RECEPTAL® Double 1/4 in. (0.64 cm) Male "T", "O" Ring and Screw	5/Case	


RECEPTAL® Vacuum Taper

(Use with Canister Vacuum "T")			
ltem	Description	Qty/Unit	
43448-25	RECEPTAL® 1/4 in. (0.64 cm) Male and	25/Case	
	1/4 in. (0.63 cm) Female Vacuum Taper		

AMSure[®] Suction Yankauers


The *AMSure*[®] Suction Yankauer Collection is designed with shatter-resistant materials. The slip-resistant, lightweight handle helps provide optimal control and maneuverability. A translucent pathway allows for fluid visualization and the smooth tips are designed with side eyes to minimize the chance of tissue grab and damage.

- Sterile vented and non-vented
- Rigid and flexible handles
- Fine, Regular and Bulbous tips










Regular and Bulbous Tips

Non-Vented and Vented

AMSure® Yankauer Rigid

Item	Description	Qty/Unit
AS830	Regular Beveled Tip, Non-Vented	50/Case
AS831	Regular Beveled Tip, Vented	50/Case
AS832	Bulbous Tip, Non-Vented	50/Case
AS833	Bulbous Tip, Vented	50/Case
AMSure [®]	Yankauer Flexible	
ltem	Description	Qty/Unit
AS834	Regular Beveled Tip, Non-Vented	50/Case
AS835	Regular Beveled Tip, Vented	50/Case
AS836	Bulbous Tip, Non-Vented	50/Case
AS837	Bulbous Tip, Vented	50/Case
AS838	Fine Tip, Non-Vented	50/Case
AS839	Fine Tip, Vented	50/Case
AMSure®	Yankauer Kit	
ltem	Description	Qty/Unit
AS825P	Rigid Yankauer, Non-Vented with Bulbous Tip pre-attached to 1/4 in. (6 mm) x 6 ft. (1.8 m) Sterile Suction Tubing	50/Case
AS826P	Rigid Yankauer, Non-Vented with Bulbous Tip pre-attached to 1/4 in. (6 mm) x 10 ft. (3.0 m) Sterile Suction Tubing	50/Case
AS827P	Rigid Yankauer, Non-Vented with Bulbous Tip pre-attached to 1/4 in. (6 mm) x 12 ft. (3.7 m) Sterile Suction Tubing	50/Case

AMSure® Suction Tubing with Connectors



AMSure[®] Suction Tubing, with molded female connectors and male adapters, provides secure connections to support uninterrupted procedures. The striated PVC tubing with low coil memory is strong and collapseresistant at high vacuum pressure yet flexible for ease of draping, promoting best clinical outcomes.

outcomes

- Sterile and non-sterile tubing
- Inner diameter sizes: 3/16 in., 1/4 in., and 9/32 in.
- Tubing lengths: 18 in., 6 ft., 10 ft., 12 ft. and 20 ft.



AMSure[®] Sterile Suction tubing

	sterne saensn tabing		
ltem	Inner Dia. x Length	Connector	Qty/Unit
AS820	3/16 in. x 18 in. (5 mm x 46 cm)	Green	50 /Case
AS821	3/16 in. x 6 ft. (5 mm x 1.8 m)	Green	50 /Case
AS822	3/16 in. x 10 ft. (5 mm x 3.0 m)	Green	50 /Case
AS823	3/16 in. x 12 ft. (5 mm x 3.7 m)	Green	20 /Case
AS824	3/16 in. x 20 ft. (5 mm x 6.1 m)	Green	20 /Case
AS825	1/4 in. x 6 ft. (6 mm x 1.8 m)	Light Blue	50 /Case
AS826	1/4 in. x 10 ft. (6 mm x 3.0 m)	Light Blue	50 /Case
AS827	1/4 in. x 12 ft. (6 mm x 3.7 m)	Light Blue	20 /Case
AS828	1/4 in. x 20 ft. (6 mm x 6.1 m)	Light Blue	20 /Case
AS825M	9/32 in. x 6 ft. (7 mm x 1.8 m)	Medium Blue	50 /Case
AS826M	9/32 in. x 10 ft. (7 mm x 3.0 m)	Medium Blue	50 /Case

AMSure® Non-Sterile Suction Tubing

ltem	Inner Dia. x Length	Connector	Qty/Unit
AS820B	3/16 in. x 18 in. (5 mm x 46 cm)	Green	100 /Case
AS821B	3/16 in. x 6 ft. (5 mm x 1.8 m)	Green	50 /Case
AS822B	3/16 in. x 10 ft. (5 mm x 3.0 m)	Green	50 /Case
AS823B	3/16 in. x 12 ft. (5 mm x 3.7 m)	Green	50 /Case
AS824B	3/16 in. x 20 ft. (5 mm x 6.1 m)	Green	50 /Case
AS825B	1/4 in. x 6 ft. (6 mm x 1.8 m)	Light Blue	50 /Case
AS826B	1/4 in. x 10 ft. (6 mm x 3.0 m)	Light Blue	50 /Case
AS827B	1/4 in. x 12 ft. (6 mm x 3.7 m)	Light Blue	50 /Case
AS828B	1/4 in. x 20 ft. (6 mm x 6.1 m)	Light Blue	50 /Case
AS825BM	9/32 in. x 6 ft. (7 mm x 1.8 m)	Medium Blue	50 /Case
AS826BM	9/32 in. x 10 ft. (7 mm x 3.0 m)	Medium Blue	50 /Case
AS827BM	9/32 in. x 12 ft. (7mm x 3.7m)	Medium Blue	50 /Case
AS828BM	9/32 in. x 20 ft. (7 mm x 6.1 m)	Medium Blue	50 /Case
















Canister Brackets

Wa	ll Brac	ket
----	---------	-----

ltem	Description	Qty/Unit
43444-05	Wall channel bracket for mounting Canister, stainless steel	5/Case
Bracket Clamp Adapter Item Description		
44303-10	Bracket Clamp for adapting Wall Bracket (43444-05) to fit stands, carts or IV poles,	10/Case

Canister Support Bracket

stainless steel

(Use with 1000 mL, 1200 mL and 1500 mL Canisters)			
Item	Description	Qty/Unit	
44304-05	Canister Support Bracket to attach Canister directly to a vacuum regulator	5/Case	

Floor Stands

Adjustable Floor Stand

ltem	Description	Qty/Unit	
43475-01	Adjustable-height, small head, stainless steel floor stand with rollers, conductive casters, hold	1/Case ds	
	multiple RECEPTAL [®] and EZE-VAC [®] Canisters		

RECEPTAL® In-Line Quad Floor Stand

(Use with 1500 mL and 2000 mL Canisters)			
Item	Description	Qty/Unit	
43447-01	RECEPTAL [®] In-Line Quad Floor Stand, stainless steel with rollers, conductive casters	1/Case	

RECEPTAL® Tandem and Single Floor Stands

(Use with 15	00 mL and 2000 mL Canisters)	
ltem	Description	Qty/Unit
43432-01	RECEPTAL® Tandem Floor Stand, stainless steel with rollers, conductive casters	1/Case

RECEPTAL® & EZE-VAC® Reusable Hardware



Canister Supports

RECEPTAL® Tandem Long Canister Support			
ltem	Description	Qty/Unit	
43429-01	RECEPTAL® tandem long canister support, use with 1500 mL and 2000 mL Canisters, shown on Wall Bracket (Item 43444-05)	1/Case	
43439-01	RECEPTAL® tandem long canister support, use with 3000 mL Canisters	1/Case	

RECEPTAL® Single Long Canister Support

ltem	Description	Qty/Unit
43426-05	RECEPTAL® single long canister support, use with 1500 mL and 2000 mL Canisters, shown on Wall Bracket (Item 43444-05)	5/Case
43436-05	RECEPTAL [®] single long canister support, use with 3000 mL Canisters	5/Case

RECEPTAL® Single Long Canister Support with Regulator Mount

(Use with 1500 mL and 2000 mL Canisters)

ltem	Description	Qty/Unit
43428-05	RECEPTAL® single long canister support with mounting plate for vacuum regulator, shown on Wall Bracket (Item 43444-05)	5/Case

RECEPTAL® Single Short Canister Support

(Use with 1000 mL Canister)			
ltem	Description	Qty/Unit	
43425-05	RECEPTAL® single short canister support, shown on Wall Bracket (Item 43444-05)	5/Case	

EZE-VAC[®] Single Canister Support

ltem	Description	Qty/Unit
43469-12	EZE-VAC® canister ring support, shown on Wall Bracket (Item 43444-05)	12/Case





Regulator Mount

(Use to attach regulator alone or to other supports)			
ltem	Description	Qty/Unit	
43408-05	Regulator Mount, 1/8 in. (0.32 cm) male pipe thread x 1/4 in. (0.64 cm) male taper with 1-1/8 in. (2.86 cm) threaded shank and 2 locknu	5/Case ts	





Regulator Mount DISS

(Use to attach regulator alone or to other supports)			
ltem	Description	Qty/Unit	
43401-05	Regulator Mount Male DISS x 1/4 in. (0.64 cm)	5/Case	
	taper with 1-1/4 in. (3.18 cm) shank		

Regulator Mounts





Regulator Mount

(For use when regulator is wall mounted to vacuum and a simple taper is needed to attach tubing to regulator)			
Item	Description	Qty/Unit	
43422-05	Regulator Mount, 1/8 in. (0.32 cm) male pipe thread x 1/4 in. (0.64 cm) male taper	5/Case	






Regulator Mount DISS

(For use when regulator is wall mounted to vacuum and a simple taper is needed to attach tubing to regulator)

ltem	Description	Qty/Unit
43400-05	Regulator Mount M-DISS x 1/4 in. (0.64 cm) male taper	5/Case

The basic components required for **RECEPTAL**[®] set up:



The single canister set up is used for simple or short procedures, not requiring a large waste suction volume.

RECEPTAL® Single Canister and Liner Set-up



1. Place canister into support.



2. Insert same size liner with VAC-GARD[®] and secure liner lid to canister.




3. Connect lid VAC-GARD® blue tubing and vacuum tubing to canister "T".



4. Connect patient tubing to patient port. Cap all ports not in use.

Waste Fluid Management Systems Set-up

The basic components required for **EZE-VAC**[®] set up:



EZE-VAC[®] Single Canister Set-up



1. Select canister size and secure lid to canister.



2. Select support.



3. Place canister in support, connect vacuum tubing to vacuum port elbow on lid.



4. Connect patient tubing to patient port elbow on lid. Cap all ports not in use.

When two or more canisters are required, the set-up can be used by placing the canisters side by side, interconnected, via a piece of vacuum tubing.

RECEPTAL® Tandem Canister and Liner Set-up



1. Select canister size and support. Place canisters into support.



2. Connect canister "T"s with vacuum tubing.



3. Insert same size liners (1 with and 1 without VAC-GARD®), secure liner lids to canisters.



4. Connect lid VAC-GARD[®] blue tubing and vacuum tubing to canister "T".



5. Connect lid tandem tubing (clear) to patient port of the lid with blue tubing.



6. Connect patient tubing to patient port. Cap all ports not in use.



Tandem Wall Mount Set-up

Waste Fluid Management Systems Set-up

Multiple canisters are particularly suited for procedures that can generate high volumes of waste. The principle of multiple set-up is the same as the tandem set-up.

RECEPTAL® Multiple Canister and Liner Set-up



1. Select canister size and supports. Attach supports to floor stand.



2. Insert canisters into supports.



 Insert same size liners (1 with VAC-GARD[®] and remaining liners without), secure liner lids to canisters.



 Interconnect canister "T"s with vacuum tubing. Attach the lid VAC-GARD® blue tubing and vacuum tubing to the remaining open "T" ports.



5. Connect lid tandem tubing (clear) to patient port of the lid with blue tubing. Repeat process until all liners are connected.



6. Connect patient tubing to patient port. Cap all ports not in use.



In-Line Quad Floor Stand Set-up

Multiple canisters are particularly suited for procedures that can generate high volumes of waste. The canisters are interconnected using EZE-VAC[®] tandem tubing.

EZE-VAC[®] Multiple Canister Set-up



1. Attach supports to floor stand. Select canister size and secure lids to canisters.




2. Place canisters into supports. Connect vacuum tubing to vacuum port elbow on lid. Secure vacuum port caps on remaining canisters.



3. Connect ortho port to adjacent patient port with tandem tubing (Item 43317-25). Repeat until all canisters are connected.



4. Connect patient tubing to patient port elbow on lid.



External VAC-GARD® Set-up



1. Select RECEPTAL® canister size and same size liner without integrated VAC-GARD®blue tubing Insert external VAC-GARD® onto canister "T".



2. Attach lid tubing to external VAC-GARD®. Connect vacuum tubing to canister "T".



3. Connect patient tubing to patient port. Cap all ports not in use.

RECEPTAL® ACCU-MEASURE® Set-up



1. Select RECEPTAL® canister size and attach ACCU-MEASURE® bracket.



2. Slide 250 mL ACCU-MEASURE® device onto bracket.



 Follow RECEPTAL® single liner set-up. Use tandem tubing to connect vacuum port of ACCU-MEASURE® to patient port of liner lid.



 Connect patient tubing to ACCU-MEASURE[®] patient port. Cap all ports not in use.

For complete procedural set-up, refer to Instructions For Use Guide

Disconnect and Disposal

RECEPTAL® Liner Disconnect and Disposal



1. Leave vacuum switched on at the end of the procedure.



2. Remove patient suction tubing from patient port and discard.



 Disconnect liner lid tubing from canister "T" and immediately reconnect to patient port with push and twist motion (friction lock).

Additional Comments

- a. Cap any port not in use.
- b. Do not use lid tubing as a handle to lift liner.
- c. Amsino recommends exercising universal precautions during handling and disposal.

EZE-VAC[®] Canister Disconnect and Disposal



1. Remove patient and vacuum tubing.



2. Cap all ports with tethered caps provided.

Additional Comments

- a. The canister and lid are disposable and intended for single use.
- b. Amsino recommends exercising universal precautions during handling and disposal.

Index

Item Number	Page	ltem Number	Page	ltem Number	Page
43010-05	2	43444-05	9	AS826BM	8
43025-01	2	43445-01	1	AS826M	8
43027-01	2	43447-01	9	AS826P	7
43041-01	2	43448-25	6	AS827	8
43042-01	2	43449-05	1	AS827B	8
43044-01	2	43455-01	5	AS827BM	8
43044-05	2	43457-25	5	AS827P	7
43203-01	3	43469-12	10	AS828	8
43206-01	3	43473-25	6	AS828B	8
43207-01	3, 4	43475-01	9	AS828BM	8
43213-01	3	43494-25	6	AS830	7
43303-01	5	43503-01	1	AS831	7
43303-02	5	44300-05	6	AS832	7
43303-05	5	44303-10	9	AS833	7
43305-10	4, 6	44304-05	9	AS834	7
43306-01	4	AS820	8	AS835	7
43309-01	5	AS820B	8	AS836	7
43311-01	5	AS821	8	AS837	7
43316-01	6	AS821B	8	AS838	7
43317-25	5	AS822	8	AS839	7
43400-05	12	AS822B	8	0L655-01	2
43401-05	11	AS823	8	0L656-01	2
43408-05	11	AS823B	8		
43422-05	12	AS824	8		
43423-01	1	AS824B	8		
43425-05	10	AS825	8		
43426-05	10	AS825B	8		
43428-05	10	AS825BM	8		
43429-01	10	AS825M	8		
43432-01	9	AS825P	7		
43436-05	10	AS826	8		
43439-01	10	AS826B	8		

Your local Distributor



For more information visit www.receptal.amsino.com



Amsino International, Inc.

708 Corporate Center Drive, Pomona, CA 91768 800.632.6746 • fax: 909.626.3888 • info@amsino.com • Online catalog at www.AmsinoCatalog.com

© Copyright 2015, Amsino International, Inc. All rights reserved. This catalog, or any part thereof, may not be reproduced in any form without written permission. Printed in USA.